## **OQ-Analyst Administration Methods**


	PDA	Netbook Kiosk		Manual Entry (10-Key)	Custom - WSI InsertQuestionnaire	
Description	Handheld PDAs using OQ Analyst Pocket PC Edition	Small laptop using OQ Analyst Netbook Software	Computer Terminal or Touch-screen setup in waiting area	Paper administration with manual data entry by clerical staff	Custom administration with raw data sent to OQ Analyst for reports	
Hardware	Windows Mobile PDA (PALM not supported)	HP Mini, Asus Eee PC, or Dell Mini recommended	Desktop, Terminal, or Tablet PC and an active Internet connection	Standard PC, Uses same paper forms as scanner method	Can use any custom hardware setup (PDA, PC, Tablet)	
Software	Microsoft Compact .Net Framework, OQA PDA Software, Microsoft ActiveSync (Optional)	Windows XP or Windows 7 (Any version)	Internet Explorer or other web browser	Internet Explorer or other web browser	Uses custom software and OQA Web Service Interface (WSI) API	
Estimate Equipment Costs	\$300 - \$450 for HP iPAQ PDA (Wireless or using desktop cradle)	\$300-\$400 depending on model and configuration	None using existing, \$1700 WebDT Tablet, \$600 Dell Touch-screen	None when using existing computer hardware	Unknown (Requires software development work by your IT Staff)	
Volume  Recommend 1 PDA for every 5 clinicians at a clinic location. Can be used in offline mode		Recommend 1 Netbook for every 5 clinicians at a clinic location. Can be used in offline mode	Recommend 1-3 kiosks setup per clinic location depending on volume	Requires 1-5 minutes per questionnaire to enter data manually	Allows administration to be streamlined into existing IT systems and current intake process	

- PDA Setup (15 Minutes):
  - Download software directly to device using Internet Explorer on PDA
  - PDA Kiosk software can be used to lockdown the device
  - See documentation site for more information on PDA setup


#### Netbook Setup (15 Minutes):

- Download software directly to device using Internet Explorer or copy files from network or USB flash drive.
- Use Windows Group Policy or replacement shell to lockdown device
- See documentation site for more information.
   NOTE: The Netbook software is based on the PDA software, so the PDA documentation has more information as well.
- Kiosk Setup for Desktop, Laptop, or Netbook (15 Minutes):
  - Setup computer terminal to be used as Kiosk computer
  - Use Windows Group Policy or replacement shell to lockdown device
  - See documentation site for more information on Kiosk setup NOTE: Kiosk requires active network connection and Internet Explorer


### PDA / Netbook Administration









PDA Administration screenshots are shown above, but the Netbook administration software is very similar and uses the same administration process. PDA software requires a Windows Mobile based device. Netbook requires Windows XP or 7.
























# PDA / Netbook Clinician Report (Offline)









# Paper and Pencil Administration





PDF forms for all instruments are available under "Administer Questionnaire" -> "New Questionnaire" Tab and can be printed for clients to complete using Paper/Pencil

## **Kiosk Administration**




Kiosk login screen

Administration Settings

#### HTTPS://Demo.OQAnalyst.Com/OQAHS/Kiosk/

- Does not require an employee login to OQ Analyst, No client data is visible.
- Access using Internet Explorer on a Desktop, Laptop, Tablet, or Netbook
- •Use Active Directory Group Policy or alternate shell to lock down machine.
- •Use IE Kiosk mode or Fullscreen to hide Address Bar and toolbars.

## **Kiosk Administration**



# **OQ** Analyst Documentation

Links at bottom of Home Page:

#### Announcements and Links

- 09/06/2007 <u>OQ-AHS Overview</u>
- 09/05/2007 <u>OQ-AHS Instrument Overview</u>
   09/04/2007 <u>OQ-AHS Quick Start User Guide</u>
- 03/26/2007 OQ-AHS Documentation site
- https://demo.oqanalyst.com/oqahs/files
  - General Information
  - Implementation
  - Kiosk
  - PDA/Netbook
  - Training
  - User Guides
  - WSI (Import/Export)

#### OQ Analyst Documentation Listing

- · files 1 files, 6 directories, 12311 KB total.
  - o General Information 7 files, 1622 KB total.
    - OQ Analyst Equipment Specifications 2008JAN18.pdf 24 KB
    - OQ Analyst System Overview 2007OCT08.pdf 248 KB
    - OQ Analyst New PDA Models 2007APR30.pdf 32 KB
    - OQ-AHS Instrument List 2007SEP05.pdf 79 KB
    - OQAHS Administration Methods Screenshots 2008JUL31.pdf 976 KB
    - OQAnalyst All Feedback Reports 2006JUNE28.pdf 202 KB
    - OQAnalyst Initial Feedback Reports 2006AUG08.pdf 62 KB
  - o Implementation 3 files, 1 directories, 195 KB total.
    - Draft Administering the OQ FAQ's.doc 28 KB
    - Draft Clinical Benefits of the OQ FAQ's.doc 30 KB
    - OQA Draft Implementation Guide 2007APR19.doc 135 KB
  - PDA 4 files, 1 directories, 120 KB total.
    - OQ Analyst New PDA Models 2007APR30.pdf 32 KB
    - OQ-AHS PDA Administration Guide 2007JUN19.pdf 15 KB
    - OQ-AHS PDA Installation Instructions Generic 2008APR07.pdf 28 KB
    - PDA Kiosk Setup 2008JUL17.pdf 43 KB
  - Training 4 files, 1 directories, 4734 KB total.
    - Online Training and Orientation video URL.html 0 KB
    - OQAHS Clinician Staff Training 2008APR30.pdf 1696 KB
    - OQAHS IT Staff Training Generic 2008FEB28.pdf 1526 KB
    - OQAHS User Training GENERIC 2008JUL31.pdf 1511 KB
  - User Guides 4 files, 1 directories, 3993 KB total.
    - OQ-AHS Quick Start User Guide 2007JAN23.pdf 232 KB
    - OQ-AHS Security System Chart 2008MAR17.pdf 50 KB
    - OQ-AHS Security System Overview 2007MAR26.pdf 46 KB
    - OQ-AHS Full Users Guide 200612.pdf 3657 KB
  - o WSI 6 files, 1 directories, 1644 KB total.
    - OQ Analyst WSI Full Manual V2 2007OCT24.pdf 132 KB
    - OQ Analyst WSI Specifications V2 2007MAY15.pdf 112 KB
    - OQ Analyst WSI Summary (README FIRST) V2 2008APR18.pdf 80 KB
    - OQ-Analyst Direct Pages 2008SEP19.pdf 67 KB
    - OQ Analyst Raw WSI Overview And Examples 2008MAY08.pdf 1249 KB


#### **Scanner Administration**

Questionnaires can also be scanned into OQ Analyst, but this requires special hardware and software and is less accurate than the electronic administration methods.

	Scanner
Description	Scan-able paper forms with Optical Mark Recognition (OMR)
Hardware	Scanner with ADF, Canon DR-2050C highly recommended
Software	Remark Office OMR
Estimate Equipment Costs	\$700 Canon DR-2050C, \$795 Remark OMR
Volume	Only Recommended for high volume clinics or group treatment settings


				_	_	_
	1. I get along well with others	_	0	0	0	
	2. I tire quickly. 3. I feel no interest in things.	_ =	ŏ	ŏ	ŏ	
$\overline{}$	I feel stressed at work/acheel		ŏ	ŏ	ŏ	_
Instructions:			ŏ	Ö	ŏ	
Looking back over	5. I blame myself for things		ŏ	ŏ	ŏ	
the last week,	6. I feel irritated		ő	Ö	ŏ	_
including today, help	I feel unhappy in my marriage/significant relationship		Ö	ŏ	ő	
us understand how you have been	8. I have thoughts of ending my life		ő	ő	Ö	_
feeling. Read each	9. I fed weak.		ő	Ö	ő	_
item escefully and fill	10. I feel feerful.  11. After heavy drinking, I need a drink the next morning to get		ŏ	ŏ	ŏ	
the circle completely	going. (If you do not drink, mack "never")	0	0	0	0	-
under the category which best describes	12. I find my work/school satisfying	. 0	0	0	0	0
your current	13. I am a happy person.		ō	ŏ	ŏ	ō
situation. For this	14. I work/study too much		ŏ	ŏ	ŏ	ŏ
questionnaire, work	15. I feel worthless		ŏ	ŏ	ŏ	
is defined as employment, school,	16. I am concerned about family troubles.		ŏ	ŏ	ŏ	ō
housework, volunteer	17. I have an unfulfilling sex life.	_	ŏ	ŏ	ŏ	ŏ
work, and so forth.	18. I feel lonely.		ŏ	ŏ	ŏ	
$\overline{}$	19. I have frequent arguments		ŏ	ő	ŏ	_
	20. I feel loved and wanted.		ŏ	ŏ	ŏ	
	21. I onjoy my space time.		ō	ō	ō	ō
	22. I have difficulty concentrating		ŏ	ő	ŏ	
	23. I feel hopeless about the future.		ŏ	ŏ	ŏ	
Developed by	24. I like myself.		ŏ	ő	ŏ	_
Michael J. Lambert, Ph.D.	25. Disturbing thoughts come into my mind that I cannot get rid of		ő	ő	ŏ	_
Gary M. Burlingame, Ph.D.	<ol> <li>Districting thoughts come into my mand that I cannot get no or</li> <li>I feel annoyed by people who criticize my drinking (or drug use).</li> </ol>	=	ŏ	ŏ	ŏ	
© Cupyright 1996 American	(if not applicable, mark "never")	0	_		_	0
Professional Credentialing Services LLC	27. I have an upset stomach.	0	0	0	0	0
All Rights Reserved.	28. I am not working/studying as well as I used to		0	0	0	0
License Required For All	29. My heart pounds too much		ō	ō	ō	ō
	30. I have trouble getting along with friends and close acquaintances.		ō	ō	ō	ō
For More Information Contact:	31. I am satisfied with my life		ō	ō	ō	
	32. I have trouble at work/school because of drinking or drug use		ō	ō	ō	ō
AMERICAN PROPESSIONAL	(If not applicable, mark "never")	•		•	•	_
CREDENTIALING SERVICES LLC	33. I feel that something bad is going to happen	0	0	0	0	0
PO Beg 970354	34. I have sore muscles.		0	0	0	
Overs, Usah S4097-0254	35. I feel afraid of open spaces, of driving, or being on buses,	0	0	0	0	0
E-MAIL:	subways, and so forth.				_	
APCS@OQFAMILY.COM	36. I feel nervous	_	0	0	0	
WEE:	37. I feet my love relationships are full and complete	_	0	0	0	_
WWW.OQFAMILY.COM TOLL-FREE: 1-888-MH	38. I feel that I am not doing well at work/school		0	0	0	
SCORE, (1-889-647-2673)	39. I have too many disagreements at work/school	_	0	0	0	_
FAX: 1-800-434-9730	40. I feel something is wrong with my mind	_	0	0	0	_
J	41. I have trouble falling salesp or staying salesp		0	0	0	
$\overline{}$	42. I feel blue		0	0	0	_
	43. I am satisfied with my relationships with others		0	0	0	_
	44. I feel angry enough at work/school to do something I might regor		0	0	0	
	45. I have headaches	0	0	0	0	0








Generate questionnaire Cover Sheet


Both available under "Administer Questionnaire" -> "New Questionnaire" Tab











## Manual Administration with 10-Key

Questionnaire Detail									
Sessio	n num	ber:	19						
Date: 7/31/2008									
Clinic: UT Sandy Clinic		Clinic							
Setting of care: Assign a setting of care						of care			
			•	Out	patie	ent (	) Inpatient		
						эķе			
				nes	tly	Almost Always			
Numb	er	ı,	ź	Sometimes	Frequently	st /	Question		
		Never	Rarely	E G	.edi	<u>m</u>			
		Ž	- 18	· S(	Ξ	- A			
		0	0	2	ω	4	There has ble falling a close as storing action		
1		0	0	0	0	0	I have trouble falling asleep or staying asleep.  I feel no interest in things.	≣	
3		0	0	0	0	0	I feel stressed at work, school or other daily activities.		
4		0	0	0	0	0	I blame myself for things.		
5		0	<b>•</b>	0	0	0	I am satisfied with my life.		
6		0	0		0	0	I feel irritated.		
7		0	0	0	0	0	I have thoughts of ending my life.		
8		0	0	0	0	0	I feel weak.		
9		0	0	0	0	0	I find my work/school or other daily activities satisfying.		
1		0	0	0	0	0	I feel fearful.		
1		0	<u>•</u>	0	0	0	I use alcohol or a drug to get going in the morning.		
1	2	0	0	0	0	0	I feel worthless.		
1	3	0	0	0	0	0	I am concerned about family troubles.	~	

Available under "Administer Questionnaire" -> "New Questionnaire" Tab